

SJ-170M

Version 1.1 Date of last issue: 2018/12/10 Revision Date: 2019/01/28 Date of first issue: 2018/12/10

1. PRODUCT AND COMPANY IDENTIFICATION

Product name : SJ-170M

Recommended use of the chemical and restrictions on use

Recommended use : Raw material for industry

Restrictions on use : Prohibition of recommendation applications outside of use

Manufacturer or supplier's details

Company : LOTTE Chemical Corporation

Address : Lotte World Tower, 300, Olympic-ro, Songpa-gu, Seoul, 05551

Rep. of KOREA

Telephone : Head-Office 82-2-829-4190

Yeosu Plant 82-61-688-2021 Daesan Plant 82-41-689-5800 Ulsan Plant 82-52-278-3421

Emergency telephone num: :

ber

Head-Office82-2-829-4190Yeosu Plant82-61-688-2021Daesan Plant82-41-689-5800Ulsan Plant82-52-278-3421

Telefax : 82-2-834-6070

2. HAZARDS IDENTIFICATION

GHS Classification

This material is not classified as hazardous under the Article 39 Paragraph 1 of the Industrial Safety and Health Act (ISHA). It is not regulated for the MSDS creation and labeling by the provision of Article 41 Paragraph 1 of the ISHA.

GHS label elements

This material is not classified as hazardous under the Article 39 Paragraph 1 of the Industrial Safety and Health Act (ISHA). It is not regulated for the MSDS creation and labeling by the provision of Article 41 Paragraph 1 of the ISHA.

Other hazards which do not result in classification

According to our experience and to the information provided to us, the product does not have any harmful effects if it is used and handled as specified.

NFPA Grade(0~4 level)

Health 1, Fire 1, Instability 0

3. COMPOSITION/INFORMATION ON INGREDIENTS

Components

Chemical name	Common Name	CAS-No.	Concentration (%)
---------------	-------------	---------	-------------------



SJ-170M

Version 1.1 Date of last issue: 2018/12/10 Revision Date: 2019/01/28

Date of first issue: 2018/12/10

Polypropylene | Polypropylene | 9003-07-0 | >= 95 ~ <= 100

4. FIRST AID MEASURES

General advice : Do not leave the victim unattended.

In case of eye contact : Remove contact lenses.

Protect unharmed eye.

If eye irritation persists, consult a specialist.

In case of skin contact : If skin irritation persists, call a physician.

If inhaled : If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

If swallowed : Keep respiratory tract clear.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

Most important symptoms and effects, both acute and

delayed

: None known.

Protection of first-aiders : Keep the medical staff know about the substance to take pro-

tective measures

Notes to physician : Inform the healthcare personnel of the contamination situation

and have them take appropriate protective measures

5. FIREFIGHTING MEASURES

Suitable and unsuitable extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Use water spray, alcohol-resistant foam, dry chemical or car-

bon dioxide.

Unsuitable extinguishing

media

: High volume water jet

Specific hazards during

firefighting

: No data available

Hazardous combustion prod-

ucts

: inhalation of combustion products may be harmful

Specific extinguishing meth-

ods

Standard procedure for chemical fires.

Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Special protective equip- : Wear self-contained breathing apparatus for firefighting if nec-



SJ-170M

Version 1.1 Date of last issue: 2018/12/10 Revision Date: 2019/01/28

Date of first issue: 2018/12/10

ment for firefighters essary.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protec-

tive equipment and emer-

gency procedures

: Avoid dust formation.

Environmental precautions : Try to prevent the material from entering drains or water

courses.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for

containment and cleaning up

Pick up and arrange disposal without creating dust.

Sweep up and shovel.

Keep in suitable, closed containers for disposal.

7. HANDLING AND STORAGE

Advice on safe handling : For personal protection see section 8.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Conditions for safe storage : Electrical installations / working materials must comply with

the technological safety standards.

Materials to avoid : No materials to be especially mentioned.

Recommended storage tem-

perature

: 21 - 23 °C

Storage period : No data available

Packaging material : Unsuitable material: Keep container closed to avoid excessive

dust accumulation and prevent contamination.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures : Ensure adequate ventilation and exhaust ventilation at the

workplace.

Personal protective equipment

Respiratory protection : No personal respiratory protective equipment normally re-

quired.

Eye protection : Safety glasses

Skin and body protection : Protective suit



Revision Date: 2019/01/28

SJ-170M

Version 1.1 Date of last issue: 2018/12/10

Date of first issue: 2018/12/10

Hygiene measures : General industrial hygiene practice.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Solid form

Colour : translucent

Odour : odourless

Odour Threshold : No data available

pH : Not applicable

Melting point/range : 150 - 170 °C

Boiling point/boiling range : Not applicable

Flash point : Not applicable

Evaporation rate : Not applicable

Flammability (solid, gas) : No data available

Flammability (liquids) : No data available

Burning rate : No data available

Self-ignition : No data available

Burning number : No data available

Upper explosion limit / Upper

flammability limit

Not applicable

Lower explosion limit / Lower

flammability limit

Not applicable

Vapour pressure : Not applicable

Bulk density : No data available

Solubility(ies)

Water solubility : insoluble

Solubility in other solvents : No data available

Relative vapour density : Not applicable

Relative density : No data available

Density : 0.89 - 0.91 g/cm3

Partition coefficient: n-

octanol/water

No data available



SJ-170M

Version 1.1 Date of last issue: 2018/12/10 Revision Date: 2019/01/28 Date of first issue: 2018/12/10

Auto-ignition temperature : > 380 °C

Decomposition temperature : > 300 °C

Self-Accelerating decomposi-

tion temperature (SADT)

No data available

Temperature of Polymerisa-

tion (SAPT)

No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Flow time : No data available

Solvent separation : No data available

Explosive properties : No data available

Oxidizing properties : No data available

Self-heating substances : No data available

Heat of combustion : No data available

Impact sensitivity : No data available

Surface tension : No data available

Conductivity : No data available

Molecular weight : > 1,000 g/mol

Minimum explosible dust con-

centration

No data available

Dust deflagration index (Kst) : No data available

Dust explosion class : No data available

Radioactivity : No data available

Metal corrosion rate : No data available

Particle size : No data available

Particle Size Distribution : No data available

10. STABILITY AND REACTIVITY

Chemical stability and possibility of hazardous reactions

No decomposition if stored and applied as directed. Stable under recommended storage conditions.

No hazards to be specially mentioned.



SJ-170M

Version 1.1 Date of last issue: 2018/12/10 Revision Date: 2019/01/28

Date of first issue: 2018/12/10

Conditions to avoid : Heat, flames and sparks.

Incompatible materials : Combustible material

Hazardous decomposition

products

: No data available

11. TOXICOLOGICAL INFORMATION

Information on likely routes of : No data available

exposure

Health hazard information

Acute toxicity

Product:

: LD50 (Rat): > 8,000 mg/kg Acute oral toxicity

Skin corrosion/irritation

Product:

Remarks: Non-irritating at room temperature but in contact with hot molten resin can cause severe burned.

Serious eye damage/eye irritation

Product:

Remarks: In direct contact with resin may includes irritating and redness.

Respiratory or skin sensitisation

Product:

Remarks: Resin itself is inert and harmless but dust may includes respiratory tract irritation and coughing.

Carcinogenicity

Product:

Result: IARC: Group 3

Germ cell mutagenicity

No data available

Reproductive toxicity

No data available

STOT - single exposure

No data available

STOT - repeated exposure

No data available



SJ-170M

Version 1.1 Date of last issue: 2018/12/10 Revision Date: 2019/01/28 Date of first issue: 2018/12/10

Aspiration toxicity

Product:

No aspiration toxicity classification

Further information

Product:

Remarks: No data available

12. ECOLOGICAL INFORMATION

Ecotoxicity

No data available

Persistence and degradability

No data available

Bioaccumulative potential

Product:

Bioaccumulation : Remarks: Not applicable

Mobility in soil

Product:

Stability in soil : Remarks: Not expected to adsorb on soil.

Other adverse effects

No data available

Product:

Additional ecological infor-

mation

: No known ecotoxicity. However, birds, fish and other wildlife can be affected if ingested by waterfowl or aquatic life.

Hazardous to the ozone layer

Not applicable

13. DISPOSAL CONSIDERATIONS

Disposal methods

Contaminated packaging : Empty containers should be taken to an approved waste han-

dling site for recycling or disposal.

Disposal precautions

Dispose of in accordance with local regulations.

14. TRANSPORT INFORMATION

International Regulations



SJ-170M

Version 1.1 Date of last issue: 2018/12/10 Revision Date: 2019/01/28 Date of first issue: 2018/12/10

UNRTDG

Not regulated as a dangerous good

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

UN number : Not applicable Proper shipping name : Not applicable Class : Not applicable Subsidiary risk : Not applicable Packing group : Not applicable Labels Not applicable EmS Code Not applicable Not applicable Marine pollutant

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

Refer to section 15 for specific national regulation.

Special precautions for user

Remarks : Not classified as dangerous in the meaning of transport regu-

lations.

15. REGULATORY INFORMATION

National regulatory information

Regulation under the Occupational Safety and Health Act

Harmful Substances Prohibited from Manufacturing

Not applicable

Harmful Substances Required Permission for Manufacture

Not applicable

Hazardous substances requiring management

Not applicable

Controlled Substances Subject to Environment Monitoring

Not applicable

Controlled Substances Subject to Health Examination

Not applicable

Act on the Registration and Evaluation, etc. of Chemical Substances, Chemicals Control Act

Toxic Chemicals

Not applicable

Restricted Chemicals

Not applicable

Prohibited Chemicals

Not applicable

Toxic Release Inventory



SJ-170M

Version 1.1 Date of last issue: 2018/12/10 Revision Date: 2019/01/28 Date of first issue: 2018/12/10

Not applicable

Accident Precaution Chemicals

Not applicable

Dangerous Substances Safety Management Act

Not Applicable to Dangerous Materials

Air Pollution Control Act

Hazardous Air Pollutants

Not applicable

Wastes Control Act

Industrial waste

Follow article 13 of the act to dispose the product waste

Other requirements in domestic and other countries

The components of this product are reported in the following inventories:

REACH :

DSL : All components of this product are on the Canadian DSL

AICS : Not in compliance with the inventory

NZIoC : On the inventory, or in compliance with the inventory

ENCS : Not in compliance with the inventory

ISHL : Not in compliance with the inventory

KECI : On the inventory, or in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : Not in compliance with the inventory

TCSI : On the inventory, or in compliance with the inventory

TSCA : Not On TSCA Inventory

Framework Act on Fire Ser-

vices

: Special combustibles(Synthetic resin)

Inventories

AICS (Australia), DSL (Canada), IECSC (China), REACH (European Union), ENCS (Japan), ISHL (Japan), KECI (Korea), NZIoC (New Zealand), PICCS (Philippines), TCSI (Taiwan), TSCA (USA)

16. OTHER INFORMATION

Further information

Sources of key data used to compile the Safety Data

Sheet

: Information taken from reference works and the literature.,

KOSHA, ECHA, NITE



SJ-170M

Version 1.1 Date of last issue: 2018/12/10 Revision Date: 2019/01/28 Date of first issue: 2018/12/10

Revision number and date

Number of Revision : 1.1

Revision Date : 2019/01/28

Other information

Date format : yyyy/mm/dd

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.